



INSTALL R CHANNEL(S) AS SHOWN. INSTALL SCREWS EVERY 24" OC
 FIRST PANEL WILL ONLY HAVE CHANNEL ON RIGHT SIDE RAIL
 AND LAST PANEL WILL ONLY HAVE CHANNEL ON LEFT SIDE RAIL.
 PANEL 1 (AT LEFT) ASSUMED TO BE FIRST PANEL IN THIS DETAIL.
 NO LAST PANEL SHOWN. USE #27 DRILL FOR PRE-DRILLING.







NOTICE:
 REVIEW AND UNDERSTAND ALL ASSOCIATED PAGES PRIOR TO CALCULATING ANY
 MANUFACTURE SIZES. R CHANNEL USE WILL AFFECT ALL PRODUCTION SIZES
 REQUIRED. ALSO REVIEW ALL STANDARD GUIDELINES FOR IMPORTANT
 INFORMATION, RESTRICTIONS, LIMITATIONS, AND RECOMMENDATIONS CONCERNING
 THIS EXTRUSION AND ITS USE. THIS PARTICULAR USAGE SUGGESTION MAY NEED TO
 BE MODIFIED FOR YOUR APPLICATION. IN ALL CASES, BE SURE TO CONSULT AND
 FOLLOW ALL LOCAL BUILDING CODES.


	
CONNECTICUT SCREEN WORKS, INC Wallingford, CT 06492 (203) 741-0895	
Title: 4+ PANEL INSTALL (HOR R CHANNEL)	
Date: 09/10/06	By: MC
Scale: N/A	Rev: 09/19/06 by MC
Page: 1 OF 3	Rev:
Alloy: 6063	Rev:
Temper: T5	Patent:
Length:	System - Pending
Die:	
<small>all contents copyright 2006 by CSW, Inc.</small>	

SCREEN PANEL 1

SCREEN PANEL 2

MOVE EACH PANEL INTO MOUNTING POSITION ONE PANEL AT A TIME. ADJUSTMENT TO PANEL SPACING MAY BE REQUIRED AFTER ALL PANELS ARE IN PLACE.




	
CONNECTICUT SCREEN WORKS, INC Wallingford, CT 06492 (203) 741-0895	
Title: 4+ PANEL INSTALL (HOR R CHANNEL)	
Date: 09/10/06	By: MC
Scale: N/A	Rev: 09/19/06 by MC
Page: 2 OF 3	Rev:
Alloy: 6063	Rev:
Temper: T5	Patent:
Length:	<i>System - Pending</i>
Die:	
<small>all contents copyright 2006 by CSW, Inc.</small>	

SCREEN
PANEL 1

SCREEN PANEL 2

SCREEN PANEL 3

SCREEN PANEL 4



LEFT SIDE
OF PANEL 1

APPROX .250

SWSSS-03

SWSR

DISTANCE DETAILED IS TYP FOR ALL.
ACTUAL SIZE MAY VARY BASED UPON
CALCULATIONS MADE DURING PLANNING

IF PANEL 4 WAS LAST PANEL IN
THIS LINE, SWSR AND SWSSS-03
WOULD NOT BE INSTALLED. AS SHOWN,
THIS SERIES WOULD CONTINUE TO
PANEL 5.

LARGE PANELS MAY REQUIRE THE
INSTALLATION OF ADDITIONAL INTERIOR
SCREWS. INSTALL IN PAIRS AS REQUIRED.
USE #27 DRILL FOR PRE-DRILLING

CONNECTICUT SCREEN WORKS, INC Wallingford, CT 06492 (203) 741-0895	
Title: 4+ PANEL INSTALL (HOR R CHANNEL)	
Date: 09/10/06	By: MC
Scale: N/A	Rev: 09/19/06 by MC
Page: 3 OF 3	Rev:
Alloy: 6063	Rev:
Temper: T5	Patent:
Length:	System - Pending
Die:	
<small>all contents copyright 2006 by CSW, Inc.</small>	